



2020/21 QUICK SHIP DOOR GUIDE

PENINSULA SERIES





Homes come in every shape, size and design. So, whether your home is old or new, big or small, Contemporary or Colonial, finding a glass style that compliments what you have is important.

Our designers understand this. They have created designs that are simple to intricate, clear to obscure. This is where solid metals, textured and beveled glass come together to create true works of art. Everyone is different and so are our designs.

Let Trimlite help you create a front entrance that will be the focal point of your home and a true reflection of your taste and style. So now, it's your time to choose.



Glass Size: Granville 2264

Glass Size: Lexington 2248

Glass Size: Madison 2264

TABLE OF CONTENTS

Privacy Guide		4-5	Auburn	Patina	23
Specifications		6-7	Everton	Patina and Zinc	24
Perimeter	Sandblast	8	Star	Brass and Zinc	25
Modena	Patina and Zinc	9	Pinehurst	Forged Iron	26
Narrows	Patina	10	Verona	Forged Iron	27
Granville	Patina	11	Riverton	V-Groove	28
Sullivan	Sandblast	12	Retro Series		29-31
Waterton	Patina	13	Internal Blinds	Raise, Lower and Tilt	32-33
Hollister	Patina	14	Venting		34-35
Canterbury	Patina	15	Clear One Lites		36
Adelaide	Patina	16	Internal Grids		37
Artisan	Patina	17	Door Selector Guide		38
Harlow	Patina	18	Mix and Match		39
Lexington	Patina	19	Plastpro HydroShield		40
Niagara	Brass, Patina and Zinc	20	Rustic Series		41
Madison	Castlite Glass	21	Contemporary Series		42
Royston	Patina	22	N600 Series Steel Door Collection		43

PRIVACY GUIDE

Trimlite offers an extensive line of designs to choose from and the degree of openness or obscurity varies considerably. To help your decision making process we have photographed each design under controlled circumstances so that you can see the difference. With each picture, we have included a number which represents the 'Privacy Level' for that particular design. This number will be referenced on the individual product page as well. Note: this 'guide' is subjective. It should only be used when comparing Trimlite designs.

B : BRASS FI : FORGED IRON P : PATINA Z : ZINC



Clear glass

0



Adelaide P16 | P

8



Artisan P17 | P

7



Auburn P23 | P

7



Canterbury P15 | P

8



Everton P24 | P.Z

7



Granville P11 | P

7



Harlow P18 | P

8



Hollister P14 | P

7



Lexington P19 | P

5




Madison P21

8



Modena P9 | P.Z

7



Narrows P10 | P

8



Niagara P20 | B.P.Z.

7



Perimeter P8

8



Pinehurst P26 | FI

9



Riverton P28

8



Royston P22 | P

8



Star P25 | B.Z.

4



Sullivan P12

8



Verona P27 | FI

9



Waterton P13 | P

5

Please Note: Due to ongoing product development Trimlite reserves the right to make changes in design, materials and specifications without notice. Please contact your dealer for more information.

Doorlites featured in either smooth (white), woodgrain (stained), or fir (stained) fiberglass doors. Some exceptions apply. Door slabs supplied by Plastpro, inc., a leading manufacturer of fiberglass door products. Contact your dealer for a complete list of Plastpro products available in your area.

 **plastpro**TM
KNOW THE BEAUTY OF INNOVATION

SPECIFICATIONS

CONSTRUCTION

- Handcrafted, our decorative glass panels stay true to their stained glass roots.
- Our selection of premium art glass and bevels, which makes our designs come to life, are hand cut and fitted. Careful consideration is given to choosing textures, complementing elements are crucial to a design's given appeal.
- Using solid metals, where all of the joints are soldered by hand, ensures the panels will be strong enough to withstand daily use.
- Once assembled, the panel undergoes a thorough cleaning and inspection process. This attention to detail is our assurance of quality to you.

GLASS VARIATION

Decorative pattern glass is handmade. Through this process, slight imperfections or discolourations are inherent characteristics of all handcrafted glass. Bubbles or seeds, slight surface flaws and subtle variations in textures vary depending on the pattern. Some glass patterns, like Swirl and Drawn, are more likely to have these inclusions. They are not considered defects.



Swirl Glass Detail



Drawn Glass Detail

CAMING OPTIONS

Hand soldered metals in 3 finishes. See individual product pages for availability.



Brass Caming

Subtle gloss finish that defines luxury and style.



Patina Caming

Black satin finish offers a rustic or antique look to your home.



Zinc Caming

Brushed chrome appearance brings a contemporary look to your entrance.

INSULATING SYSTEM


All Trimlite Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

PERFORMANCE FEATURES

- Warm-Edge Benefits: Superior silicone foam insulation, low thermal conductivity
- Silicone Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your piece of mind
- Low E* with Argon Gas for your comfort

TrueWARM®
s p a c e r s

Super Spacer®



All Trimlite Doorlites are certified by the National Accreditation and Management Institute, Inc. (NAMI).

All Trimlite products are energy tested. Consult your dealer for specific energy ratings.

Warranties: Our products are covered by separate limited warranties. Please contact your dealer for more information.

SuperSpacer®, TrueWarm® and Cushion Edge™ are all registered trademarks of QUANNEX BUILDING PRODUCTS.

*Our doorlites are available with Low E and Argon. However, some exceptions may apply. Contact your dealer for more details.



Glass Size: O880 / 2280



2215 / O764



2215 (x3)



2208



O836 / 2236



2208 (x5) 8ft. Entry




2215 (x4) 8ft. Entry



2208 (x4)



2248 / O848




2064 or 2264



PRIVACY

● Privacy Guide. See pages 4 and 5.

Perimeter	O836	2236	O848	2248	O764	2064	2264	O880	2280	2208	2215
Sandblast	■	■	■	■	■	■	■	■	■	■	■



3/4" Clear Glass Edge
(Note: May vary depending on frame choice.)

Sandblast

Sandblast



0836 / 2236 / 0836 Zinc



0848 / 2248 / 0848 Zinc



0764 / 2215 / 0764 Patina



Glass size: 0764 / 2264 Zinc


Modena	0836	2236	0848	2248	0764	2264	2215
Patina	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Zinc	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

PRIVACY 7

● Privacy Guide. See pages 4 and 5.



Mainlites and Sidelites are reversible. Simply rotate the insert to create the look that works for you.



Shown in Patina

Narrows




Narrows	0836	2236	0848	2248	0764	2264	2215
Patina	■	■	■	■	■	■	■



O848 / 2248 / O848



O836 / 2236 / O836




Patina

- Hammered
- Luminating Reed
- Clear Bevels
- 3/16" Caming

PRIVACY 8

● Privacy Guide. See pages 4 and 5.



O764 / 2264 / O764




2215



O848 / 2248 / O848



O836 / 2236 / O836




O764 / 2264 / O764




Glass Size: 2264

Granville	0836	2236	0848	2248	0764	2264	2215
Patina	■	■	■	■	■	■	■



O764 / 2215 / O764



Patina

PRIVACY 7

● Privacy Guide. See pages 4 and 5.




O836 / 2236 / O836



O848 / 2248 / O848

Sullivan	0836	2236	0848	2248	0764	2064	2264
Sandblast	■	■	■	■	■	■	■



Sandblast

Sandblast

3/4" Clear

PRIVACY 8

● Privacy Guide. See pages 4 and 5.



O764 / 2064 or 2264 / O764



O848 / 2248 / O848



O836 / 2236 / O836



O764 / 2208 / O764




Glass Size: 2264

Waterton	0836	2236	0848	2248	0764	2264	2208
Patina	■	■	■	■	■	■	■

PRIVACY 5

● Privacy Guide. See pages 4 and 5.

† Swirl glass often contains small bubbles/surface imperfections. They are not considered defects. See page 6 for more information.




Patina



O836 / 2236 / O836



2215




O764 / 2215 / O764



O848 / 2248 / O848



Sidelites are reversible. Simply rotate the insert to create the look that works for you.



Patina

PRIVACY

7

● Privacy Guide. See pages 4 and 5.



Glass size: 2264

Hollister	O836	2236	O848	2248	O764	2264	2215
Patina	■	■	■	■	■	■	■



O836 / 2236 / O836



2210C



O764 / 2248 / O764




Glass size: O764 / 2264 / O764 with Transom

Canterbury	O836	2236	O848	2248	O764	2264	2210C
Patina	■	■	■	■	■	■	■

PRIVACY 8

● Privacy Guide. See pages 4 and 5.





2210C / O764



2215




O848 / 2248 / O848



O836 / 2236 / O836



O764 / 2264 / O764



Patina

- Sable Bevels
- Clear Bevels
- 3/8" Caming
- Sable Bevel


Adelaide	O836	2236	O848	2248	O764	2264	2215	2210C
Patina	■	■	■	■	■	■	■	■



● Privacy Guide. See pages 4 and 5.



O836 / 2236 / O836




O764 / 2215 / O764




O848 / 2248 / O848



Glass size: 2264 / 2264
(or 2064 / 2064)



O880 / 2280 (8ft entry)



Patina


PRIVACY 7

● Privacy Guide. See pages 4 and 5.

Artisan	O836	2236	O848	2248	O764	2064	2264	O880	2280	2215
Patina	■	■	■	■	■	■	■	■	■	■



Glass size: 0764 / 2264 / 0764



Patina

PRIVACY 8

● Privacy Guide. See pages 4 and 5.


Harlow	0836	2236	0848	2248	0764	2264	2215
Patina	■	■	■	■	■	■	■




0836 / 2236 / 0836




0848 / 2248 / 0848



0764 / 2215 / 0764



2208 / O764



2215



O848 / 2248 / O848




Glass size: 2248 / 2248



O836 / 2236 / O836



O764 / 2264 / O764



Patina

Clear Bevels

Grey Ripple

Drawn†

Clear Ripple

3/16" Caming

PRIVACY

5

● Privacy Guide. See pages 4 and 5.

Lexington	O836	2236	O848	2248	O764	2264	2208	2215
Patina	■	■	■	■	■	■	■	■




Glass size: O848 / 2248 / O848 Zinc



O764 / 2248 / O764 Patina



O836 / 2236 Brass



Shown in Patina

	O836	2236	O848	2248	O764
Brass	■	■	■	■	■
Patina	■	■	■	■	■
Zinc	□	□	□	□	□

PRIVACY

7

● Privacy Guide. See pages 4 and 5.



O836 / 2236 / O836



O848 / 2248 / O848



O764 / 2264 / O764



Madison	0836	2236	0848	2248	0764	2264
Castlite	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


PRIVACY 8

● Privacy Guide. See pages 4 and 5.

Smooth Lines

Textured Back

Note: Texture is on the outside of the unit.





Glass size: O764 / 2264 / O764
with Transom



2208 2215



0836 / 2236 / O836




O848 / 2248 / O848

PRIVACY 8

● Privacy Guide. See pages 4 and 5.


Royston	0836	2236	0848	2248	0764	2264	2208	2215
Patina	■	■	■	■	■	■	■	■



Patina



2210C



0764 / 2215 / 0764



Glass Size: 0764 / 2264 / 0764



0836 / 2236 / 0836



0764 / 2264 / 0764




0848 / 2248 / 0848

PRIVACY

7

● Privacy Guide. See pages 4 and 5.

Auburn	0836	2236	0848	2248	0764	2264	2215	2210C
Patina	■	■	■	■	■	■	■	■




Patina



Glass size: O764 / 2248 / O764 Patina

Everton	0836	2236	0848	2248	0764	2264
Patina	■	■	■	■	■	■
Zinc	□	□	□	□	□	□



Shown in Patina

PRIVACY 7

● Privacy Guide. See pages 4 and 5.



O848 / 2248 / O848 Zinc



O836 / 2236 / O836 Patina



O764 / 2264 / O764 Zinc




Glass size: O848 / 2248 Zinc



O836 / 2236 / O836 Brass



O764 / 2248 / O764 Zinc



- Glue Chip
- Clear Bevels
- 3/16" Caming

Shown in Brass

PRIVACY 4

● Privacy Guide. See pages 4 and 5.

Star	O836	2236	O848	2248	O764
Brass	■	■	■	■	■
Zinc	■	■	■	■	■



0764 / 2064 or 2264 / 0764




0848 / 2248 / 0848

Glass size: 2248

Pinehurst	0848	2248	0764	2064	2264
Forged Iron	■	■	■	■	■

PRIVACY 9

● Privacy Guide. See pages 4 and 5.





Glass size: 2264 / 2264



Mainlites and Sidelites are reversible. Simply rotate the insert to create the look that works for you.

3/8" Round Bar

Sandblast



Forged Iron



0848 / 2248



2264 / 0764



2248 / 2248

PRIVACY

9


● Privacy Guide. See pages 4 and 5.

Verona	0848	2248	0764	2264
Forged Iron	■	■	■	■


Glass size: O764 / 2264 / O764 ▶

PRIVACY 8

● Privacy Guide.
See pages 4 and 5.



Obscure Etch
Clear
V-Groove
(3/8" - 9.5mm)



2215



2236 / O836




2064 or 2264



2248 / O848

Riverton	O836	2236	O848	2248	O764	2064	2264	2215
V-Groove	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



BALANCING PRIVACY AND DESIGN

Retro is defined as remaking the past. Our Retro Series is an extension of our 1-Lite French Doors that have been remade specifically for our Exterior Doors. We selected our glass designs that balance privacy and design, as we believe your doorlite should always be elegant and safe.

Our glass designs pair perfectly with our standard frame options. And, like decorative designs, these come standard with Low-E and Argon for additional energy efficiency. Although these products may seem new, they are remade for you.

Glass Size: 2208 Rooftop

Retro Series - Glass Options



Chords 8



Diffused White Laminate 10
Featuring Laminated Safety Glass



Mistlite 8



Narrow Reed 8



Rooftop 8



Sable 8



Sandblast 9



Screen Dot 7

Retro Series - Glass Size Options



O836



2236



O848



2248



O764




2064 / 2264



2208




2208 (x4)




2215



2215 (x3)



2208 (x5) 8 ft. Entry



2215 (x4) 8 ft. Entry

Internal Blinds Between Glass



Glass size: 2280 / 2280

MAINLITES



2036 or 2236



2248



2064 or 2264



2080 or 2280 (8ft entry)

SIDELITES



O836




O848



O764



O880



PRIVACY ☐ - ☒

BENEFITS

- Blinds between glass require no dusting
- No exposed cords
- One control system provides raise/lower AND tilt options in one easy operator design

Venting Doorlites - “EZ” LIFT



Glass size: 2264 / 2264

Our EZ Lift vent incorporates a spring assist, making it very easy to operate. No more bending down. Simply unlock, and adjust.

- All precision injection molded parts
- Spring assist for easy operation
- Maintenance free
- Cam lock for your piece of mind
- Removable screen
- Full half vent for maximum air flow



Locking Latch



2248



2064



2264



Window Handle for Easy Operation

Note: “EZ” Vent only available in sizes shown.

HALF VENT



2036 or 2236 Clear

1



2236 Internal Grid* 12L

1



2236* Rain

9

- All precision injection molded parts
- Ergonomic handle design combines functionality with a modern look
- Reinforced latch system allows for travel free operation
- Removable screen

*Note: Contact your dealer for a complete list of grid and glass options available in your area.



VENTING EXTENSIONS

Now you take our standard half vent and make it into a full view insert by adding our unique Venting Extension.




2064 or 2264 Clear

1

- Extensions interlocks with our 2036 or 2236 creating a full view doorlite
- Venting in middle of door allows for easier operation
- No more damaged screens from pets

CLEAR ONE LITE



Want privacy in your doorlite... Consider these obscure glass options

NOTE: Obscure options are **Special Order**. Please contact your dealer for more information.



Cross Reed 8



Delta Frost 9



Glue Chip 8



Pinhead (P516) 9



Rain 9



Kasumi 8

TRADITIONAL



2236 9L White Internal Grid

PRAIRIE



STANDARD GRIDS

Indicate bar preference when ordering.



5/8" x 1/4"
Flat Bar White



5/8" x 5/16"
Contour Bar White
(Georgian Bar)



764 / 2064 or 2264 / 764 White Internal Grid

Need more performance in your doorlite... Consider Cardinal LoE²-272 Glass

Available in the clear and white internal grid options, the insulating value of Cardinal's **LoE²-272** patented coating is nearly double that of an ordinary insulated glass unit. In winter, **LoE²-272** reflects heat back into the room. In summer, it rejects the sun's heat and damaging UV rays. The coating is virtually invisible to the eye yet blocks 84% of the sun's harmful ultraviolet rays. In fact, **LoE²-272** is the clearest, highest performing glass you can buy.

Some items are special order. For a complete list of sizes, glass and grid options available in your area, contact your dealer for more information.



Door Selector Guide

6'8"		FLUSH	VICTORIA	ORLEANS	LONDON	6-PANEL	SYDNEY*	SOHO*	2-PANEL ARCH*	2-PANEL ARCH PLANK*	
		Door: 32" 34" 36" 42" Sidelite: 12" 14"	Door: 32" 34" 36" Sidelite: N/A	Door: 32" 34" 36" Sidelite: 12" 14"	Door: 32" 34" 36" Sidelite: 12" 14"	Door: 32" 34" 36" Sidelite: 12" 14"	Door: 32" 34" 36" Sidelite: N/A	Door: 32" 34" 36" Sidelite: N/A	Door: 32" 34" 36" Sidelite: N/A	Door: 32" 34" 36" Sidelite: N/A	
STEEL	SMOOTH FIBERGLASS										
											
		OAK	FIR	OAK	FIR	OAK					
TEXTURED FIBERGLASS	SMOOTH FIBERGLASS										
8'0"		FLUSH	VICTORIA	ORLEANS	LONDON						
		Door: 32" 34" 36" 42" Sidelite: 12" 14"	Door: 36" Sidelite: N/A	Door: 32" 34" 36" Sidelite: 12" 14"	Door: 32" 34" 36" Sidelite: 12" 14"						
STEEL*	SMOOTH FIBERGLASS										
											
		OAK	FIR	OAK							
TEXTURED FIBERGLASS	SMOOTH FIBERGLASS										


*Indicates items that are not part of our Quick Ship program. Standard lead times apply.

*Indicates items that are not part of our Quick Ship program. Standard lead times apply.


6'8"

8'0"


FLUSH




VICTORIA




ORLEANS




LONDON



6-PANEL



SYDNEY, SOHO, 2-PANEL ARCH, 2-PANEL ARCH PLANK





FIBERGLASS DOORS

Our fiberglass entry doors with exclusive Hydroshield feature fiberglass reinforced door skins, full-length composite stiles, and composite top & bottom rails to prevent water infiltration on all six sides.

FULL LENGTH COMPOSITE TOP AND BOTTOM RAILS

Additional non-porous protection keeps water from seeping into the door and helps prevent the build up of mold or mildew.

FIBERGLASS REINFORCED SKIN

Fiberglass is unmarred by the wear and tear of everyday use and is unaffected by moisture and humidity. Our doors will not rot, splinter or warp like wood, and won't dent or delaminate like steel.

FULL LENGTH COMPOSITE STILES

All Plastpro fiberglass entry doors feature full length composite stiles to prevent water infiltration into the door and ensures our door will never warp, rot, or rust.




Clavos & Straps

- Easy to Apply
- Scientifically Formulated Adhesive (unique to fiberglass doors)
- Masterfully Handcrafted Premium Metal Alloy
- Tough & Durable Powder Coat Finish



Our hinge straps are handcrafted from durable aluminum that resists rust and discoloration.



1-1/2" & 1-1/4" round or square decorative black metal.

Dentil Shelves

Dentil shelves are made of lightweight high density polyurethane (HDP). It is lightweight which makes it easy to install onto the door. It is weather-resistant and will not warp, rot or crack. Its design compliments the Plastpro door grain patterns. Available in Woodgrain, Smooth, or Fir Grain finishes.

Smooth Skin - 4 Blocks



Woodgrain - 4 Blocks



Fir Grain - 4 Blocks





6/8 RUSTIC STEEL

2 PANEL
ARCH

Door: 32" 34" 36"



2 PANEL
ARCH PLANK

Door: 32" 34" 36"



2236 Cutout



1 PANEL
SIDELITE

12" 14"



8/O RUSTIC FIBERGLASS

6/8 RUSTIC FIBERGLASS

1 PANEL
PLANK

Door: 36"



2 PANEL
ARCH PLANK

Door: 36"



2 PANEL
ARCH

Door: 36" 42"



1 PANEL
SIDELITE

12" 14"



1 PANEL
PLANK

Door: 36" 42"



2 PANEL
ARCH PLANK

Door: 36" 42"



2 PANEL
PLANK

Door: 36" 42"



1 PANEL
SIDELITE

14"



Contemporary Series



6'8"

ERA

Door: 32" 34" 36"
Sidelite: N/A



STEEL

LINEA

Door: 32" 34" 36"
Sidelite: N/A



OSO

Door: 34" 36"
Sidelite: N/A



VOG

Door: 34" 36"
Sidelite: N/A



MUNDO

Door: 34" 36"
Sidelite: N/A



TAO

Door: 34" 36"
Sidelite: N/A



764 Cutout



764 Cutout



764 Cutout

*Contemporary Series is not part of Quick Ship, standard lead times apply.

N600 Series Steel Door Collection



FEATURES

BENEFITS

Finger jointed knot-free pine, protected with 2 coats of white paint on 1-3/8" hinge stiles and 13/16" rails.

Better protection, enhanced aesthetic, resistance and durability, even with 22" x 64" triple-glazed door glass.

G-40 hot dip galvanized steel.

Long lasting rust resistance.

Full selection of XE High Definition steel door panels.

Improved aesthetic appearance and accepts all Doorlite sizes.

16" wood lock block.

Accepts middle and high-end handle sets and more flexible for centre line locks.

Textured polyester white 141.

10 year warranty without painting. Matches our paint-free Doorlite frames.

J-Bend roll formed steel edge on stiles.

Superior delamination resistance ensures door panels are squared and exact size.

HCFC free polyurethane foam insulation.


Provides higher thermal, dent and delamination resistance.

Warranty not prorated.


Full 10 years warranty on paint finish. Full 10 years warranty on manufacturing defects.

COLOURS

Choose from a range of standard exterior paint options to match virtually any design, or apply a custom colour of your choice. Colours printed below may not exactly match actual colours.



D502 : Maize



D532 : Almond



D538 : Wicker



DSC1 : Chesapeake Gray



D508 : Sandalwood



D559 : Pebble



D510 : Canyon Clay



D571 : Brownstone



D557 : Dark Drift



DSP3 : Espresso



D562 : Commercial Brown



D554 : Chestnut Brown



D536 : Dover Gray



D570 : Storm



D547 : Sable



D523 : Slate



D506 : Windswept Smoke



DSP5 : Graphite



DSP6 : Iron Ore



D525 : Black



THE DEL DIFFERENCE

Canadian owned & operated, with over 100 years of combined industry experience in PVC window and insulated steel door manufacturing, DEL Windows & Doors services quality dealers, architects, lumberyards and wholesalers throughout Ontario with innovative, quality window products for home or office.

We are dedicated to innovation and design, quality manufacturing and excellence in customer service and view our relationships with our employees, customers and suppliers to be long-term partnerships. We are committed to exceeding customer needs and expectations.



delwd.ca

